

**WE CLAIM:**

1. A method of downloading a remote record request to control a recording device, comprising:
  - receiving a remote record request including a program code and a subscriber ID at a satellite broadcast center,
  - 5 inserting the remote record request into a broadcast stream that is uplinked to a satellite,
  - transmitting the broadcast stream via the satellite,
  - downloading the remote record request at a subscriber site,
  - 10 determining whether the remote record request is directed to the subscriber site by comparing the subscriber ID to a subscriber site ID, and, if confirmed,
  - tagging the program code for recording on the recording device.
2. The method of claim 1, further comprising:
  - inserting the remote record request into a MPT packet;
  - and
  - inserting the MPT packing into a transport packet in
  - 5 the broadcast stream.
3. The method of claim 1, further comprising:
  - sending a verification response to the subscriber.
4. The method of claim 3, wherein a positive verification response is sent to affirm receipt and execution of the remote record request and a negative verification response is sent to reject the remote record request and prompt the
- 5 subscriber to override any conflicts that gave rise to the rejection.
5. The method of claim 1, further comprising:

validating a portion of the remote record request at the satellite broadcast center, and

validating another portion of the remote record  
5 request at the subscriber site.

6. The method of claim 5, wherein a subscriber sends the remote record request using an input device,

If either the subscriber ID or whether the request is included in a service package are not validated, the  
5 satellite broadcast center sends a negative verification response to the subscriber rejecting the request and prompting the subscriber to sign up for the required service package,

If either a programming conflict or the recording  
10 device's ability to record are not validated, the subscriber site sends a negative verification response to the subscriber rejecting the request and prompting the subscriber to override, and

If the request is validated, the subscriber site sends  
15 a positive verification response to the subscriber verifying execution of the request.

7. The method of claim 5, further comprising at least one of the following:

validating that the selected program does not exceed a ratings limit,

5 validating that the selected program does not exceed a billing limit, and

validating that the remote record request is a feature included in a service package.

8. The method of claim 5, further comprising, if either portion of the remote record request is not validated, sending a negative verification response that rejects the

remote record request and prompts the subscriber to  
5 override any conflicts that gave rise to the rejection.

9. The method of claim 1, further comprising:

using an input device to access a programming guide,  
select the program and submit the remote record request,  
and

5 sending the remote record request to the satellite  
broadcast center.

10. The method of claim 9, wherein the input device  
accesses a remotely maintained program guide in near real-  
time over a network.

11. The method of claim 9, wherein the program guide is  
downloaded off-line and stored in the input device.

12. A method of downloading a remote record request to  
control a recording device, comprising:

using a subscriber input device to access a  
programming guide, select a program and submit a remote  
5 record request including a program code and a subscriber  
ID,

broadcasting the remote record request via a  
satellite,

10 downloading the remote record request at a subscriber  
site,

validating whether the remote record request is  
directed to the subscriber site by comparing the subscriber  
ID to a subscriber site ID, and, if confirmed, and

15 if validated, tagging the program code for recording  
on the recording device and sending a positive validation  
response to the subscriber input device, and

if not validated, sending a negative verification

response to the subscriber input device that rejects the remote record request and prompts the subscriber to  
20 override any conflicts that gave rise to the rejection.

13. The method of claim 12, further comprising at least one of the following:

validating that the selected program does not exceed a ratings limit,

5 validating that the selected program does not exceed a billing limit,

validating that the remote record request does not conflict with a previous record request,

validating that the recording device has sufficient  
10 memory to record the selected program,

validating that the selected program is included in a subscriber service package, and

validating that the remote record request capability is included in the subscriber service package.

14. A method of downloading a remote record request to control a recording device, comprising:

using an input device to access a programming guide, select a program and submit a remote record request  
5 including a program code and a subscriber ID,

sending the remote record request over a link to a satellite broadcast center,

validating the request to confirm whether the selected program is included in a subscriber service package,

10 broadcasting the remote record request via a satellite,

downloading the remote record request at a subscriber site,

determining whether the remote record request is  
15 directed to the subscriber site by comparing the subscriber

ID to a subscriber site ID, and, if confirmed,  
validating the request to determine whether the  
selected program can be recorded, and  
if validated, tagging the program code for recording  
20 on the recording device and sending a positive validation  
response to the subscriber, and  
if not validated, sending a negative verification  
response that rejects the remote record request and prompts  
the subscriber to override any conflicts that gave rise to  
25 the rejection.

15. The method of claim 14, further comprising:  
inserting the remote record request into an MPT  
packet; and  
inserting the MPT packing into a transport packet that  
5 is broadcast via the satellite.

16. The method of claim 14, further comprising validating  
the request to open the link to a satellite broadcast  
center.

17. The method of claim 14, wherein the request is  
validated to determine whether the selected can be recorded  
by,  
checking for a time conflict with previous record  
5 requests; and  
checking for adequate remaining memory in the record  
device.

18. A satellite broadcast network in which a broadcast  
stream is sent from a satellite broadcast center (SBC) via  
satellite to a plurality of subscriber sites each having  
antenna, an integrated receiver decoder (IRD) and a  
5 recording device, wherein said SBC is configured to receive

a remote record request including a program code and a subscriber ID and insert the request into the broadcast stream, and wherein the IRD is configured to decode the request from the broadcast stream, compare the subscriber ID to a stored ID, and, if valid, tag the program code for recording on the recording device.

19. The satellite broadcast network of claim 18, wherein the SBC comprises:

an I/O port for receiving the remote record request;  
a billing center having a record of subscribers and  
5 subscribed services;

a validation switch that compares the subscriber ID against the record of subscribers and subscribed services to validate the remote record request;

a bridge router that for validated requests inserts  
10 the subscriber ID and the program code into a MPT packet;  
and

an uplink system that inserts the MPT packet into a transport packet and transmits the transport packet to the satellite.

20. The satellite broadcast network of claim 18, further comprising:

A subscriber input device for accessing an interactive programming guide for subscriber selection of the program,  
5 said input device transmitting the remote record request including the program code and the subscriber ID to the SBC, and

A back channel connecting the subscriber IRD to the subscriber input device, said IRD sending a verification  
10 response via the back channel to the input device to confirm or reject the remote record request.

21. The satellite broadcast network of claim 20, wherein the SBC sends a negative verification response to the subscriber input device rejecting the request and prompting the subscriber to sign up for a required service package if  
5 either the subscriber ID or the required service package are not validated, and wherein the subscriber site sends a negative verification response to the subscriber input device rejecting the request and prompting the subscriber to override if either a programming conflict or the  
10 recording device's ability to record are not validated.

22. A satellite broadcast center for delivering a remote record request, comprising:

an I/O port for receiving a remote record request including a program code and a subscriber ID;

5 a billing center having a record of subscribers and subscribed services;

a validation switch that compares the subscriber ID against the record of subscribers and subscribed services to validate the remote record request;

10 a bridge router that for validated requests inserts the subscriber ID and the program code for into a MPT packet; and

an uplink system that inserts the MPT packet into a transport packet and transmits the transport packet to a  
15 satellite.

23. A subscriber site for downloading a remote record request, comprising:

A recording device,

A back channel,

5 an antenna that receives a broadcast stream including a packet containing a subscriber ID and a program code, and  
an integrated receiver decoder (IRD) that validates

the subscriber ID against a stored ID, and, if valid, tags  
the program code so that the recording device will record  
10 the selected program, said IRD sending over the back  
channel either a positive verification response that  
affirms receipt and execution of the remote record request  
or a negative verification response that rejects the remote  
record request and prompts the subscriber to override any  
15 conflicts that gave rise to the rejection.